| 烟台 | 台龙彩新材料有限公司 | | Yantai Longcai Advanced Materials Co.,Ltd | | | | | |
|--|--------------------|-------------------|---|----------------|--------------------|--|--|--|
| F | đ | File | e Title: Material | Safety Data sh | ieet | | | |
| | ngCester® | Fil | e code: LC-R | RD20200926 | | | | |
| ΜΑΤΕ | MATERIAL SAFETY | | TA SHEE [.] | т | | | | |
| Print date: 2020.09.11 | | | | - | | | | |
| 1.IDENTIFICATION | | | | | | | | |
| PRODUCT DETAILS | | | | | | | | |
| PRODUCT NAME: P3316 | | | | | | | | |
| TRADE NAME: P3316 | | | | | | | | |
| PRODUCT USE: POLYESTER RESIN | | | | | | | | |
| MANUFACTURER: Yantai Longcai A | dvanced Materi | als Co., Ltd | | | | | | |
| ADDRESS: 18 Hangzhou Rd, Haiyan | | | 265100, P.R.China | a | | | | |
| TELEPHONE NUMBER: +86 (0535) | | , , , | | | | | | |
| FAX NUMBER: +86 (0535) 330663 | | | | | | | | |
| 2.HAAARDS IDENTIFICATION: | | | | | | | | |
| Hazard classification: Not classifie | | | | | | | | |
| GHS label element, including preca | - | monte | | | | | | |
| Signal word: No signal word. | sucionally state | ments | | | | | | |
| Hazard statements: No known sigr | aificant offocts / | or critical bazar | de | | | | | |
| - | | | us. | | | | | |
| Precautionary statements: Prevention: Not applicable. | | | | | | | | |
| Response: Not applicable. | | | | | | | | |
| Storage: Not applicable. | | | | | | | | |
| Disposal: Not applicable. | | | | | | | | |
| Other hazards which do not result | t in classificatio | n: fino dust clo | uds may form or | nlosivo mixtu | ros with air Hand | | | |
| ing and/or processing of this mat | | | - | - | | | | |
| skin, nose and throat. | enal may gene | | | | ation of the eyes, | | | |
| 3 .COMPOSITION/INFORMATION (| ON INGREDIENT | ۰ς | | | | | | |
| Substance/mixture: Mixture | | | | | | | | |
| Other means of identification: Not | t available | | | | | | | |
| CAS number/other identifiers | available. | | | | | | | |
| CAS number: 25135-73-3 | | | | | | | | |
| EC number: Mixture. | | | | | | | | |
| Product code: P5023 | | | | | | | | |
| Ingredient name | Common nam | e | CAS number | % | 1 | | | |
| phosphonium bromide and | Ethyltriphenyl | | 1530-32-1 | <1 | - | | | |
| mixtures which contain 25% or | bromide | phospholian | 1550 52 1 | | | | | |
| more | bronnue | | | | | | | |
| 4.FIRST AID MEASURES | | | | | | | | |
| EYES:In case of contact, or suspe | acted contact i | mmediately fly | sh avas with n | lenty of wat | er for at least 15 | | | |
| | | - | sii eyes witii p | Menty OF Wal | | | | |
| minutes and get medical attention immediately after flushing. SKIN: In case of contact, immediately flush skin with plenty of soap and water for at least 15 | | | | | | | | |
| minutes. If irritation persists, get m | - | | | | | | | |
| minutes. In initiation persists, get II | | . nemove conta | | 5 ana Shues. | | | | |

Wash clothing before reuse. Thoroughly clean contaminated shoes.

INGESTION: If swallowed, get medical attention immediately. Do not induce vomiting.

INHALATION: If affected by inhalation, move victim to fresh air. If symptoms persist, seek medical attention.

GongCester®

Yantai Longcai Advanced Materials Co.,Ltd File Title: Material Safety Data sheet File code: LC-RD20200926

NOTE TO PHYSICIANS: No data is available.

5.FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: use dry chemical powder.

UNSUITABLE EXTINGUISHING MEDIA: Avoid high pressure media which could cause the formation of a protentially explosible dust-air mixture.

SPECIFIC HAZARDS ARISING FORM THE CHEMICAL: May form explosible dust-air mixture if dispersed.

HAZARDOUS THERMAL DECOMPOSITION PRODUCTS: No specific data.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode.

SPECIAL PRECAUTIONS FOR FIRE-FIGHTERS: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without risk. Use water spray to keep fire-exposed containers cool.

REMARK: Fine dust clouds may form explosive mixtures with air.

6.ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel form entering. Do not touch or walk though spilt material. Shut off all ignition sources. No flares, smoking or flame in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

ENVIRONMENTAL PRECAUTIONS: Avoid dispersal of spilt material and runoff and contact with soil, waterway, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

SMALL SPILL: Move containers from spill area. Use sprak-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

LARGE SPILL: Move containers from spill area. Use sprak-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers,water courses, basements or confined area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

7.HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Put on appropriate personal protective equipment. Avoid breathing dust. Avid the creation of dust when handling and avid all possible sources of ignition, Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Store in accordance with local regulations. Store in segregated and approved area. Store in a dry , cool and well-ventilated area, away from incompatible material, Eliminate all ignition sources. Separate from oxidizing material. Keep container tightly closed and sealed until

ongCester®

Yantai Longcai Advanced Materials Co.,Ltd File Title: Material Safety Data sheet File code: LC-RD20200926

ready for use. Container that have been opened must be carefully resealed and kept uoright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in original container, protected from direct sunlight.

8.EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

OCCUPATIONAL EXPOSURE LIMITS

| Ingredient name | Exposure limits |
|-----------------|-----------------|
| Not available | |

APPROPRIATE ENGINEERING CONTROLS: Use only with adequate ventilation. If user operations generate dust,fumes,gas,vapour or mist,use process enclosures,local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas,vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

ENVIRONMENT EXPOSURE CONTROLS: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers ,fillers or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

PERSONAL PROTECTIVE EQUIPMENT:



RESPIRATORY PROTECTION: Required for dusts and fume conditions.



SKIN PROTECTION: Use neoprene or other nonporous gloves. Neoprene or plastic apron and protective clothing covering exposed skin areas.



EYE PROTECTION: Avoid contact with eyes. Wear goggles if there is a likelihood of Contact with eyes. Eyewash stations and safety showers should be readily available in handling

areas. Use safety eyewear with perforated side shields.

HYGIENIC PRACTICES: Wash hands thoroughly before eating and using washroom.

Remove contaminated clothing immediately and do not wear again until it has been properly laundered.

9.PHYSICAL AND CHEMICAL PROPERTIES

Yantai Longcai Advanced Materials Co.,Ltd

CongCester®

File code: LC-RD20200926

File Title: Material Safety Data sheet

|--|

| COLOR: Tra | insparent |
|------------|-----------|
|------------|-----------|

ODOR: Odorless
MELTING: Not available

BOILING: Not available

FIRE POINT: Not available

SPECIFIC GRAVITY: 1.20g/cm³

SOLID CONTENT: 100.0 %

10.STABILITY AND REACTIVITY

CHEMICAL STABILITY: The product is stable.

CONDITIONS TO AVOID: Avoid the creation of dust when handling and avoid all possible sources of ignition.

INCOMPATIBILITY: Reactive or incompatible with the following materials: Oxidizing materials..

HAZARDOUS POLYMERIZATION: Will not occur

11.TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES FO EXPOSURE: Not available.

POTENTIAL ACUTE HEALTH EFFECTS:

INHALATION: exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.

INGESTION: No known significant effects or critical hazards.

SKIN CONTACT: No known significant effects or critical hazards.

EYE CONTACT: exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eye.

OVER-EXPOSURE SIGNS/SYMPTOMS:

INHALATION: Adverse symptoms may include the follow: respiratory tract irritation, coughing.

INGESTION: No specific data.

SKIN CONTACT: No specific data.

EYE CONTACT: Adverse symptoms may include the follow: irritation, redness.

HEALTH HAZARDS

ACUTE TOXICITY:

| Product/ | Result | Species | Dose | Exposure |
|-----------------|-------------|---------|------------|----------|
| ingredient name | | | | |
| phosphonium | LD50 dermal | Rate | >2000mg/kg | - |
| bromide and | | | | |
| mixtures which | LD50 Oral | Rate | 200mg/kg | - |
| contain 25% or | LD50 Oral | Rate | 300 to 500 | - |
| more | | | mg/kg | |

IRRITATION/CORROSION

| Product/ ingredient name | Result | Species | Score | Exposure | Observation |
|--------------------------------|-------------------|---------|-------|----------|-------------|
| phosphoni- | Skin-primary | Rabbit | 2.16 | - | - |
| um bromide | dermal irritation | | | | |
| and mixtures | index | | | | |

Yantai Longcai Advanced Materials Co.,Ltd

CongCester®

File Title: Material Safety Data sheet File code: LC-RD20200926

| which con- Eyes-sev tain 25% or tant | vere irri- | Rab | זומ | - | | - | | - | | |
|---|-----------------------|---------|-------------|-------|---------------------|------|------------|------------|----------|--------------|
| more | | | | | | | | | | |
| SENSITISATION | | | | | | | | | | |
| | | | | | | | | | | |
| Product/ Route of exposure Species Result ingredient name | | | | | | | | | | |
| Not available | | | | | | | | | | |
| | | | | | | | | | | |
| Mutagenicity Product/ingredient Test Experiment Result | | | | | | | | | | |
| | lest | | | | Experime | ent | | | Result | |
| name Not available | | | | | | | | | | |
| Not available | | | | | | | | | | |
| | | | | | | | | | | |
| Reproductive toxicity | | | Fort | :1:4. | Devel | 6.00 | | Deee | | F une |
| Product/ingredient nam | | ernal | Fert | iiity | Devel- | Spo | ecies | Dose | | Expo- |
| | toxi | city | | | opmen- tal toxin | | | | | po- |
| Net available | | | | | tai toxin | | | | | sure |
| Not available | | | | | | | | | | |
| Teratogenicity | | | | | | | | | | |
| Not available. | •:• <i>:/•</i> :•~= • | | | | | | | | | |
| Specific target organ toxic Not available. | city(single | expos | ure) | | | | | | | |
| | city/cingle | | | | | | | | | |
| Specific target organ toxic Not available. | city(single | expos | urej | | | | | | | |
| Aspiration hazard | | | | | | | | | | |
| Not available. | | | | | | | | | | |
| Potential chronic health e | offorts | | | | | | | | | |
| Chronic toxicity | | | | | | | | | | |
| Product/ingredient nam | ne Re | sult | | Sn | ecies | Dose | 2 | | Exposure | |
| | | | | - | at-Male, | 2000 | - | | - | |
| Ethyltriphenyl phospho | ni- Su | b-acut | e LOAE | | male | | | | | |
| um bromide and mixtur | | nalatio | | Ra | | | 347mg/ | kσ | 6 hours/ | lay;5days |
| which contain 25% or m | | | d mists | - | | | 0.17.11.87 | . 0 | per week | |
| | | b-chro | | | | | | | | |
| | | EL Ora | | | | | | | - | |
| | | | - | | | | | | | |
| | | | | | | | | | | |
| General : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation | | | | | | | | | | |
| Carcinogenicity : No known significant effects or critical hazards. | | | | | | | | | | |
| Mutagenicity | | | | | | | | | | |
| Teratogenicity | | | | | | | | | | |
| Developmental effects : No known significant effects or critical hazards. | | | | | | | | | | |
| Fertility effects : No known significant effects or critical hazards. | | | | | | | | | | |
| • | | | | _ | - | - | | | | |
| ATE value | | | | | | | | | | |

Yantai Longcai Advanced Materials Co.,Ltd File Title: Material Safety Data sheet

CongCester®

File code: LC-RD20200926

| Ro | oute | | R | esult | | | | |
|--|---|-------------------------------|-------------------------|---------------|-----------------------|----------------------|----------------------|--------------|
| Oral | | | | 66666.7mg/kg | | | | |
| | | | | | | | | |
| 12. | ECOLOGICAL INFORMATION | | | | | | | |
| Α. | Ecotoxicity | | | | | | | |
| | Product/ingredient name | Result | Result Species Exposure | | | | | Exposure |
| | Ethyltriphenyl phospho- nium bromide and mix- tures which contain 25%or more | Acute LC50 24 Acute CL50>3 | | | Daphnia Fish-Danio | o rerio | 48 hours 96 hours | |
| в. | Persistence and degradabilit | y Y | | | | | | |
| | Γ | | | Γ | | | | |
| | Product/ingredient name | Test | | Result | | Dose | I | noculum |
| | Not available | | | | | | | |
| Г | Due due t ('s and d'autorites and | | | - h - 16 196- | DI | 4 - 1 ¹ - | D ' - 1 | |
| - | Product/ingredient name | huamida | Aquati | c half-life | Pho | otolysis | BIODE | egradability |
| | Ethyltriphenyl phosphonium bromide and mixtures which contain 25% or more | | | - | | Not readil | | eadily |
| | | | | | | | | |
| C. | Bioaccumulative potential | | - 1 | | | | | |
| | Product/ingredient name | | Logpow I | | BCF Pot | | otential | |
| | Ethyltriphenyl phosphoniu | | | | - Iow | | | |
| | mixtures which contain 259 | %or more | | | | | / | |
| | | | | - | | - | | |
| D. | Mobility in soil | | | | | | | |
| | • | ot available | | | | | | |
| | Coefficient(Koc) | | | | | | | |
| Ε. | | | | | | | | |
| 13.DISPOSAL CONSIDERATIONS | | | | | | | | |
| A. Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. B. Disposal precautions | | | | | | | | |
| | or liners may retain some product residues. Avoid dispersal of spilt material and | | | | | | | |

Yantai Longcai Advanced Materials Co.,Ltd

CongCester®

File Title: Material Safety Data sheet File code: LC-RD20200926

| runoff and contact with soil, waterways, drains and sewers. | | | | | | | |
|---|--|--|----------------------------|--------------------------------|--|--|--|
| | | | | | | | |
| | | | | | | | |
| 14.IRA | ANSPORT INFORMATION | | | | | | |
| | | UN | IMDG | LATA | | | |
| | JN number | Not regulated. | Not regulated. | Not regulated. | | | |
| | JN proper shipping name | - | - | - | | | |
| | Fransport hazard class(es) | - | - | - | | | |
| | Packing group | - | - | - | | | |
| | Environmental hazards | No. | No. | No. | | | |
| | Additional information | - | - | - | | | |
| Speci | • | • | | port in closed containers that | | | |
| | | | • | ansporting the product know | | | |
| | | hat to do in the event | of an accident or spillage | | | | |
| | GULATORY INFORMATION | | | | | | |
| | Regulation according to ISHA | | | | | | |
| | SHA article 37(Harmful | : None of the com | ponents are listed. | | | | |
| | ubstances prohibited | | | | | | |
| | rom manufacture) | | | | | | |
| | 6HA article 38 (Harmful | : None of the components are listed. | | | | | |
| | ubstances requiring | | | | | | |
| - | ermission) | | | | | | |
| | rticle 2 of Youth | : Not applicable. | | | | | |
| | rotection Act on | | | | | | |
| | ubstances Hazardous | | | | | | |
| | o Youth | | | | | | |
| | xposure Limits of Chemical Su | - | Factors | | | | |
| | lone of the components are lis | | | | | | |
| | • | if or cement Regs : None of the components are listed. | | | | | |
| | nnex 11-3 (Exposure tandards established | | | | | | |
| | | | | | | | |
| TC | or harmful factors) ISHA Enforcement Regs | · Nona of the c | ampapants are listed | | | | |
| | • | . None of the t | components are listed. | | | | |
| | Annex 11-4 (Harmful | | | | | | |
| | factors subject to Work Environment | | | | | | |
| | Measurement) | | | | | | |
| 1 | ISHA Enforcement Regs | · None of the c | omnonents are listed | | | | |
| | Annex 12-2 (Harmful | : None of the components are listed. | | | | | |
| | Factors Subject to | | | | | | |
| | Special Health Check-up) | | | | | | |
| | Standard of Industrial | · None of the | components are listed. | | | | |
| | Safety and Health Annex | | components are noted. | | | | |
| | 12 (Hazardous | | | | | | |

CongCester®

Yantai Longcai Advanced Materials Co.,Ltd File Title: Material Safety Data sheet File code: LC-RD20200926

| | substances subject to control) | | | | | |
|----|---|---|--|--|--|--|
| В. | Regulation according to Chemicals Cor | ntrol Act | | | | |
| | K-Reach Article 20 (Toxic chemicals) | : Not applicable | | | | |
| | K-Reach Article 27(Prohibited) | :None of the components are listed. | | | | |
| | K-Reach Article 27(Restricted) | :None of the components are listed. | | | | |
| | CSCA Article 11 (TRI) | :None of the components are listed. | | | | |
| | Korea inventory | :Not determined. | | | | |
| | CSCA Article 39(Accident Precaution | : None of the components are listed. | | | | |
| | Chemicals) | | | | | |
| C. | Dangerous Materials | : Not available. | | | | |
| | Safety Management Act | | | | | |
| D. | Wastes regulation | : Dispose of contents and container in accordance with all loca | | | | |
| | | international regulations. | | | | |
| D. | Regulation according to other foreign | laws | | | | |
| | International regulations | | | | | |
| | Chemical Weapon Convention List Sch | nedules I. II & I Chemicals | | | | |
| | Not listed. | | | | | |
| | Montreal Protocol (Annexes A.B. C. E) | | | | | |
| | Not listed. | | | | | |
| | Stockholm Convention on Persistent Organic Pollutants | | | | | |
| | Not listed. | | | | | |
| | Rotterdam Convention on Prior Inforr | n Consent (PIC) | | | | |
| | Not listed. | | | | | |
| | UNECE Aarhus Protocol on POPs and I | Heavy Metals | | | | |
| | Not listed. | | | | | |

| 16.OTHER INFOR | MATION | |
|------------------|------------------|--|
| A. References | :Not av | ailable. |
| B. Date of issue | /Date of : 09/18 | /2019 |
| revision | | |
| C. Version | :1 | |
| Date of prin | ting :09/11 | /2020 |
| D. Other | | |
| Key to abbrevia | tions : ATE = . | Acute Toxicity Estimate |
| | BCF = B | oconcentration F actor |
| | GHS = | Globally Harmonized System of Classification and Labelling of |
| | Chemic | ls |
| | IATA = I | nternational Air Transport Association |
| | IBC = In | ermediate Bulk Container |
| | IMDG = | International Maritime Dangerous Goods |
| | LogPow | = logarithm of the octanol/water partition coefficient |
| | MARPC | L = International Convention for the Prevention of Pollution |
| | From SI | ips, 1973 as modified by the Protocol of 1978. ("Marpol" = ma- |
| | rine pol | ution) |

CongCester®

Yantai Longcai Advanced Materials Co.,Ltd File Title: Material Safety Data sheet File code: LC-RD20200926

UN = United Nations

Notice to reader

To the best of our knowledge, the information contained herein is accurate .However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

The information contained in the Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handing risks, it is not to be construed as a warranty or specification of the product quality .The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications.

The user is responsible for ensuring that appropriate precautions are taken and for satisfying themselves that the data are suitable and sufficient for the products intended purpose. In case of any unclarity we advise consulting the supplier or an expert.